

VK507U40

Connection technology • Programming cable

Connection cable RS232/USB, 5m, M5 Male (connector) Angular, USB-A Male (connector) Straight, PUR (Polyurethane)



This shielded cable tail can be used to digitally transfer complex information to a network for further processing. The connections are pre-wired.

The VK507U40 is equipped with an M9 connector on the device side and a USB-A connector on the network side.

Electrical features

Type of plug-in contact, A connection	Male (connector)
Type of plug-in contact, B connection	Male (connector)
Type of A electrical connection	M5
Type of B electrical connection	USB-A
Supported communication interface	RS232
Shielded	Yes

Mechanical features

Cable length	5 m
Cable infeed of A connection	angular
Cable infeed of B connection	straight
Material of cable sheath	Plastic (PUR)

Other features

Version	Programming cable
---------	-------------------


Classification

ETIM 8	EC001408 PC cable
--------	-------------------

More

IPF Product Group	856 cable socket / cable connector (diverse)
packaging dimensions	240 x 150 x 30 mm
gross weight	116 g
Customs tariff number	85444290
WEEE number	40951076
POP-compliant	Yes
Reach-compliant	Yes
RoHS-compliant	Yes

Dimensional drawing



Extract accessories program

AV000117



Labeling material, Label, 2, 1x30x4mm, Plastic PC, 34 identification labels

AY000141



Plastic sheath, Ø17mm, Inner diameter 10mm, -40-250°C, Glass fiber with silicone rubber, Short-term resistance to weld spatter 1200°C, Tensile strength 400N, Flexible, Flame retardant, yard good

AV98F001



AV98F002



Tool, wrench insert for torque wrench, SW13

AV000140



You can find further accessories on our homepage



Installation

Mounting / installation may only be carried out by a qualified electrician!



Disposal

WEEE number according to § 6 para. 3 ElektroG: 40951076

Safety warnings

- /** Before initial operation, please make sure to follow all safety instructions that may be provided in the product information.
- /** Never use these devices in applications where the safety of a person depends on their functionality.
- /** Any software, drivers or IODD files that may be required to operate your device can be downloaded free of charge from our homepage: www.ipf-electronic.com