

## VK508F21

### Connection technology • Data transfer

Data cable, Connection cable, 5m, M12 Male (connector) 4pin Angular, D-coding, RJ45 Male (connector) 4pin Straight, 4x0.14mm<sup>2</sup>, Category 5E, -40-75°C, TPU, Shielded



This shielded cable tail can be used to transmit complex information digitally into a network for further processing. The connections are pre-wired.

The VK508F21 is equipped with a 4-pin D-coded M12-connector on the device side and an RJ45 connector on the network side.

#### Electrical features

Type of plug-in contact, A connection	Male (connector)
Type of plug-in contact, B connection	Male (connector)
Type of A electrical connection	M12
Type of B electrical connection	RJ45
Number of pins of A connection	4
Number of pins of B connection	4
Operating voltage (AC 50Hz)	50 V
Operating voltage (DC)	50 V
Shielded	Yes
ardTEEL_Uebertragungsklassifizierung	Cat5e

#### Mechanical features

Number of cores	4
Wire assembly	18 x 0.1mm
Conductor cross-section	0.14 mm <sup>2</sup>
Outer diameter	4.8 mm
Cable sheath color	green
Cable length	5 m
Cable infeed of A connection	angular
Cable infeed of B connection	straight
Coding of connection A	D
Housing material	TPU
Material of cable sheath	Plastic (PUR)
Perm. ambient temperature of cable, fixed cable	-40 - 75 °C
Ambient temperature	-30 - 70 °C
ardTEME_WerkstoffDerKontakteAnschlussA	CuSn, gold-plated
ardTEME_WerkstoffDerKontakteAnsWerkstoff_der_Kontakte_AnschCuZn	gold-plated

**Other features**

Halogen-free	Yes
--------------	-----


**Classification**

ETIM 8	EC002599 Patch cable copper industry
--------	--------------------------------------


**More**

IPF Product Group	851 cable sockets / connectors (both side ready made)
packaging dimensions	190 x 190 x 19 mm
gross weight	180 g
Customs tariff number	85444290
WEEE number	40951076
OzDS-compliant	Yes
POP-compliant	Yes
Reach-compliant	Yes
RoHS-compliant	Yes

**Connection**




- 1** white/orange
- 2** white/blue
- 3** blue
- 4** orange



- 1** white/orange
- 2** white/blue
- 3** blue
- 6** orange

**Dimensional drawing**



**Extract accessories program**

**AV000141**



accessories cable socket,  
Mounting clip, 13.5mm, PPO,  
Packaging unit 5, Accessories for  
Cable socket/connector M12

**VK108F25**



Data cable, connection cable, 1m,  
M12 connector 4-pin straight, D-  
coding, RJ45 connector 8-pin  
straight, 4x0.14mm<sup>2</sup>, category 5E,  
-40-75°C, TPU, shielded

**VKA08F25**



Data cable, connection cable,  
10m, M12 connector 4-pin  
straight, D-coding, RJ45 connector  
4-pin straight, 4x0.14mm<sup>2</sup>,  
category 5E, -40-75°C, TPU,  
shielded

**AV98F001**



**AV98F002**



Tool, wrench insert for torque  
wrench, SW13

**AV000140**



You can find further accessories on our homepage

**Installation**

Mounting / installation may only be carried out by a qualified electrician!

**Disposal**

WEEE number according to § 6 para. 3  
ElektroG: 40951076

**Safety warnings**

- / Before initial operation, please make sure to follow all safety instructions that may be provided in the product information.
- / Never use these devices in applications where the safety of a person depends on their functionality.